

Inscríbese para ahorrar y obtener apoyo

Y consulte en español con un especialista de apoyo

 **Entresto®**
(sacubitril/valsartan) tablets
24/26mg • 49/51mg • 97/103mg



\$10 CO-PAY OFFER
Commercially insured patients pay as little as \$10 for a 30-, 60-, or 90-day supply*
Questions? Call 888-ENTRESTO (888-369-7378)
To check your balance, visit rebate.patientsavings.com.
Please see full Prescribing Information, including Boxed WARNING.


Entresto®
(sacubitril/valsartan) tablets
24/26mg • 49/51mg • 97/103mg

Rx BIN: 601341
Rx PCN: OHCP
Rx GRP:
Rx ID:

* Limitations apply. See Program Terms and Conditions. Single commercially insured patients pay as little as a \$10 co-pay for each prescription fill (30-, 60-, or 90-day fill) at retail or mail order. The program pays up to a \$400 copay across all fills per calendar year. Patient will be responsible for any co-pay once the \$400 limit is reached in a calendar year. This offer is not valid under Medicare, Medicaid, or any other federal or state program.

Los pacientes con seguro comercial llegan a pagar apenas 10 dólares por un suministro para 30, 60 o 90 días

Inválido con Medicare, Medicaid o cualquier otro programa federal o estatal de salud. Se aplican otras limitaciones.



Para su mayor comodidad, al inscribirse mediante el móvil descargue la oferta de copagos a su monedero electrónico.

NOTA: Una vez que se haya inscrito, el registro para los copagos se renovará automáticamente al comienzo de cada año civil (límite anual de 4100 dólares).

Consulte todos los términos y condiciones de estas ofertas.

Enspire
PROGRAM
from Entresto®
SUPPORT DESIGNED WITH YOU IN MIND

Aproveche el apoyo individualizado GRATUITO y EN DIRECTO*

Al inscribirse en el programa ENSPIRE de ENTRESTO, usted puede comunicarse en español con un **especialista de apoyo** capaz de ofrecerle apoyo individualizado durante el tratamiento.

CÓMO INSCRIBIRSE



LLAME AL 888-ENTRESTO
(888-368-7378)

(de lunes a viernes, excepto los días feriado de 8:00 A. M. a 8:00 P. M. ET)

¡Nuestros agentes hablan español y están esperando comunicarse con usted!

O BIEN



VISITE ENTRESTO.COM

e inscribese clicando en la pestaña de ahorro y apoyo **“Savings & Support”**

Nota: La información de Entresto.com solo está disponible en inglés.



FREE 30 DAY TRIAL OFFER
Maximum 60 tablets. Limit one offer per patient.

RXBIN: 601341
RXPCN: OHS
RXGRP: OH7143151
RXID: M63100136185

Entresto®
(sacubitril/valsartan) tablets
24/26mg • 49/51mg • 97/103mg

* No purchase required. Submit claim to ADHM using BIN #601341. This free trial is not health insurance. Not where prohibited by law. Product dispensed pursuant to terms and conditions of voucher. Claims shall not be submitted by any public or private third-party payer or any federal or state health care program for reimbursement. Void only in the US and Puerto Rico. Offer not valid if reimbursed or submitted to any other payer. It is illegal for any person to sell, purchase, or trade, or offer to sell, purchase, or trade, or to counterfeit the voucher. This is the property of Novartis Pharmaceuticals Corporation and must be returned upon request. Novartis Pharmaceuticals Corporation reserves the right to rescind, revoke, or amend offer without notice. Please see the accompanying Important Facts about ENTRESTO.

Vea si ENTRESTO® es adecuado para usted

Para todos los pacientes (sin importar su seguro) que inician el tratamiento.

Hay limitaciones. Este cupón es válido para una prueba gratuita de ENTRESTO de 30 días (máximo de 60 tabletas; **para usarlo una sola vez**) sin costo para usted.

¡Está preactivado y listo para llevarlo a la farmacia con una receta válida de ENTRESTO!

Términos y condiciones del copago: Hay limitaciones. Solo es válido para personas con seguro privado. El programa incluye la tarjeta de copagos, la tarjeta de pago (si es aplicable) y la rebaja, y tiene un límite anual combinado de 4100 dólares. El paciente es responsable de todos los costos una vez que se alcanza el límite en un año civil. El programa es inválido (i) con Medicare, Medicaid, TRICARE, VA, DoD o cualquier otro programa federal o estatal de salud; (ii) si el paciente no usa ninguna cobertura de seguro; (iii) si el plan de seguro del paciente reembolsa el costo íntegro del medicamento; o (iv) si el seguro del paciente no cubre el producto. El valor de este programa es para beneficio exclusivo de los pacientes y está pensado para aplicarse a los máximos del paciente y el dinero que debe pagar de su bolsillo, como los copagos, coseguros y deducibles aplicables. El programa es inválido si está prohibido por la legislación. El paciente no puede pedir a terceros (tales como planes o programas de seguro médico, cuentas de gastos flexibles o cuenta de ahorros para gastos médicos) que le reembolsen el valor recibido de este programa. El paciente es responsable de cumplir todas las limitaciones y los requisitos de su plan de salud relacionados con el uso de este programa. Solo es válido en los Estados Unidos y en Puerto Rico. Podrían ser aplicables limitaciones en California y Massachusetts. Este programa no es un seguro médico. El programa no se puede combinar con ninguna rebaja, cupón u oferta de terceros. Podría exigirse un comprobante de la compra. Novartis se reserva el derecho de rescindir, revocar o modificar el programa y suspender el apoyo en cualquier momento y sin previo aviso.

Algunos planes de salud no aceptan copagos. Comuníquese con su proveedor de seguro para averiguar si su plan permite el uso de un copago.

Términos y condiciones de la prueba gratuita: No se exige compra alguna. Envíe el reclamo a IQVIA mediante el BIN #601341. Esta prueba gratuita no es un seguro médico. Este cupón es nulo si está prohibido por la ley. El producto se dispensa conforme los términos y condiciones del cupón. No se presentarán reclamos de reembolso a ningún pagador externo público o privado ni a ningún programa federal o estatal de salud. Solo es válido en los Estados Unidos y en Puerto Rico. La oferta es inválida si se reproduce o se presenta a cualquier otro pagador. Es ilegal la venta, adquisición, comercio, oferta de venta, adquisición, comercio o falsificación de este cupón. Es propiedad de Novartis Pharmaceuticals Corporation y debe entregarse si esta lo solicita. Novartis Pharmaceuticals Corporation se reserva el derecho de rescindir, revocar o modificar la oferta sin previo aviso.

*Para inscribirse, debe tener 18 años o más.

Consulte la información importante adjunta acerca de ENTRESTO.

IMPORTANT FACTS ABOUT ENTRESTO®

What is the most important information I should know about ENTRESTO?

ENTRESTO can harm or cause death to your unborn baby. Talk to your doctor about other ways to treat heart failure if you plan to become pregnant. If you get pregnant during treatment with ENTRESTO, tell your doctor right away.

WHAT IS ENTRESTO?

ENTRESTO is a prescription medicine used to treat adults with long-lasting (chronic) heart failure to help reduce the risk of death and hospitalization. ENTRESTO works better when the heart cannot pump a normal amount of blood to the body. It is also used to treat certain children 1 year of age and older who have symptomatic heart failure.

It is not known if ENTRESTO is safe and effective in children under 1 year of age.

Do not take ENTRESTO if you:

- are allergic to any of the ingredients in ENTRESTO. See the end of this Patient Information leaflet for a complete list of ingredients in ENTRESTO.
- have had an allergic reaction including swelling of your face, lips, tongue, throat, or trouble breathing while taking a type of medicine called an angiotensin-converting enzyme (ACE) inhibitor or angiotensin II receptor blocker (ARB).
- take an ACE inhibitor medicine. **Do not take ENTRESTO for at least 36 hours before or after you take an ACE inhibitor medicine.** Talk with your doctor or pharmacist before taking ENTRESTO if you are not sure if you take an ACE inhibitor medicine.
- have diabetes and take a medicine that contains aliskiren.

Before you take ENTRESTO, tell your doctor about all of your medical conditions, including if you:

- have a history of hereditary angioedema
- have kidney or liver problems
- are pregnant or plan to become pregnant. See “What is the most important information I should know about ENTRESTO?”
- are breastfeeding or plan to breastfeed. It is not known if ENTRESTO passes into your breast milk. You and your doctor should decide if you will take ENTRESTO or breastfeed. You should not do both.

Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Using ENTRESTO with certain other medicines may affect each other. Using ENTRESTO with other medicines can cause serious side effects. Especially tell your doctor if you take: potassium supplements or a salt substitute; nonsteroidal anti-inflammatory drugs (NSAIDs); lithium; other medicines for high blood pressure or heart problems such as an ACE inhibitor, ARB, or aliskiren. Keep a list of your

medicines to show your doctor and pharmacist when you get a new medicine.

What are the possible side effects of ENTRESTO?

ENTRESTO may cause serious side effects including:

- See “What is the most important information I should know about ENTRESTO?”
- **Serious allergic reactions causing swelling of your face, lips, tongue, and throat (angioedema) that may cause trouble breathing and death.** Get emergency medical help right away if you have symptoms of angioedema or trouble breathing. Do not take ENTRESTO again if you have had angioedema during treatment with ENTRESTO.
- People who are Black and take ENTRESTO may have a higher risk of having angioedema than people who are not Black and take ENTRESTO.
- People who have had angioedema before taking ENTRESTO may have a higher risk of having angioedema than people who have not had angioedema before taking ENTRESTO. See “Who should not take ENTRESTO?”
- **Low blood pressure (hypotension).** Low blood pressure may be more common if you also take water pills. Call your doctor if you become dizzy or lightheaded, or you develop extreme fatigue.
- **Kidney problems.** Your doctor will check your kidney function during your treatment with ENTRESTO. If you have changes in your kidney function tests, you may need a lower dose of ENTRESTO or may need to stop taking ENTRESTO for a period of time.
- **Increased amount of potassium in your blood (hyperkalemia).** Your doctor will check your potassium blood level during your treatment with ENTRESTO.

These are not all the possible side effects of ENTRESTO. Call your doctor for medical advice about side effects.

The most common side effects were low blood pressure, high potassium, cough, dizziness, and kidney problems.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

This information is not comprehensive. To learn more, talk to your health care provider or pharmacist, visit www.entresto.com to obtain the FDA-approved product labeling, or call 1-888-ENTRESTO.

ENTRESTO and the ENTRESTO logo are registered trademarks of Novartis AG.

